Print Date 11.09.2023

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-20 UniBeton

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika CZ s.r.o.
		Bystrcká 1132 / 36
		62400 Brno-Komin
Telephone	:	+420 5 464 224 64
E-mail address of person	:	EHS@cz.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Toxikologické informační středisko: +420 224 91 92 93

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		P103	Read carefully and follow all instructions.

Print Date 11.09.2023

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

Preventi P264 P280	on: Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
Respons	se:
P305 + F	P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eemperience			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace exposure limit :			
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

Sikafloor®-20 UniBeton

Print Date 11.09.2023

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

Limestone Contains: Quartz (SiO2) <5µm >= 0,1 %	1317-65-3 215-279-6	>= 5 - < 10
For explanation of abbreviation	ns see section 16.	
SECTION 4: First aid measure	es	
4.1 Description of first aid meas	ures	
	Maria and of damagenesis and	

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate Treatment	meo :	dical attention and special treatment needed Treat symptomatically.

Print Date 11.09.2023

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from t Hazardous combustion prod- ucts		substance or mixture No hazardous combustion products are known
5.3 Advice for firefightersSpecial protective equipment for firefightersFurther information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions		

Environmental precautions : Try to prevent the material from entering drains or water courses. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.

Sikafloor®-20 UniBeton



Revision Date: 05.08.2023 Date of last issue: 30.06.2022	Version 6.0	Print Date 11.09
	Follow standard hygiene measures when hand products	dling chemical
Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exh at places where dust is formed.	aust ventilation
Hygiene measures :	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well place. Store in accordance with local regulatio	
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Shee use.	t prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

CAS-No.	Value type (Form	Control parame-	Basis *	
14808-60-7	TWA (fibre, res-	0,1 mg/m3	CZ OEL	
4047.05.0	/	10 m m/m 0		
	14808-60-7 1317-65-3	of exposure) 14808-60-7 TWA (fibre, respirable fraction) 1317-65-3 TWA (Total dust)	of exposure) ters * 14808-60-7 TWA (fibre, res- pirable fraction) 0,1 mg/m3	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor[®]-20 UniBeton



Revision Date: 05.08.2023 Date of last issue: 30.06.2022	Version 6.0	Print Date 11.09.202
Skin and body protection	 Recommended: Butyl rubber/nitrile rubber Contaminated gloves should be removed. Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouser and protective boots are additionaly recom and stirring work. 	to EN ISO 20345, rs). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear resp Respirator selection must be based on kno exposure levels, the hazards of the product ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous subs Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). T ticular to the mixing / stirring area. In case to keep the concentrations under the occup limits then respiration protection measures 	own or anticipated ot and the safe work- stances achieved by local n. (EN 689 - Meth- This applies in par- this is not sufficent pational exposure

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	solid powder grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

Sikafloor®-20 UniBeton

Print Date 11.09.2023

Revision Date: 05.08.2023 Date of last issue: 30.06.2022	Version 6.0	Print Date 11.
per flammability limit		
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1,700 kg/m3	
Bulk density	: ca. 1,700 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Revision Date: 05.08.2023 Date of last issue: 30.06.2022

Version 6.0



STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0



12.7 Other adverse effects

Product:

mation

Additional ecological infor- : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product :		The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

Print Date 11.09.2023

Revision Date: 05.08.2023	
Date of last issue: 30.06.2022	

Version 6.0

Net as a classed as a class a second

ADR	: No	ot regulated as a dangerous good
IMDG	: No	ot regulated as a dangerous good
IATA (Cargo)	: No	ot regulated as a dangerous good
IATA (Passenger)	: No	ot regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	good	
14.6 Special precautions for use Not applicable	er	
14.7 Maritime transport in bulk a	iccordi	ing to IMO instruments
Not applicable for product as	supplie	d.
SECTION 15: Regulatory info	rmatic	on
		regulations/legislation specific for the substance or mixture
International Chemical Weap Schedules of Toxic Chemical		
REACH Information:	- r - r - e	I substances contained in our Products are registered by our upstream suppliers, and/or registered by us, and/or excluded from the regulation, and/or exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable : (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-: Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-: Not applicable tants (recast) Regulation (EC) No 649/2012 of the European Parlia-: Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor[®]-20 UniBeton



Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds

: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Other regulations:

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation of the European Parliament and Council Regulation (EC) No 286/2011 amending, for the purposes of its adaptation to technical progress, Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Act No. 350/2011 Sb. on chemical substances and chemical mixtures, as amended

Act No. 258/2000 Sb. the protection of public health, as amended

Act No. 262/2006 Sb. The Labour Code, as amended

Law No. 201/2012 Sb. On air protection, as amended

Act No. 254/2001 Sb. Water, as amended

Government Regulation No. 361/2007 Sb. Laying down the conditions of health of workers at work, as amended

Act No. 541/2020 on waste

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.
--

Country CZ 10000026691

Revision Date: 05.08.2023 Date of last issue: 30.06.2022

Version 6.0



Full text of other abbreviations

Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
CZ OEL	:	Czech Republic. Chemical agents at work - Appendix 2: Oc-
		cupational exposure limits
CZ OEL / TWA	:	Time weighted average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL		International Convention for the Prevention of Pollution from
	-	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
REACH	•	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		
• • • • •	÷	Substances of Very High Concern
vPvB		Very persistent and very bioaccumulative

Further information

Workers ensuring the protection of human health and the environment and workers using hazardous substances or mixtures must complete the training prescribed and required by national health and safety and environmental legislation.

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CZ / EN

Country CZ 10000026691

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikafloor®-20 UniBeton

Revision Date: 05.08.2023 Date of last issue: 30.06.2022 Version 6.0

