Print Date 16.11.2023

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaWall®-160 Štuk

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Wall levelling compound

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika CZ s.r.o.
		Bystrcká 1132 / 36
		62400 Brno-Komin
Telephone	:	+420 5 464 224 64
E-mail address of person responsible for the SDS	:	EHS@cz.sika.com

1.4 Emergency telephone number

Toxikologické informační středisko: +420 224 91 92 93


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SikaWall®-160 Štuk



Revision Date: 16.11.2023 Date of last issue: -		Print Date 16.11.2	
Precautionary statements	P101	If medical advice is needed, I container or label at hand.	nave product
	P102	Keep out of reach of children	
	Prevention:		
	P271	Use only outdoors or in a wel ea.	I-ventilated ar-
	P280	Wear protective gloves/ eye protection.	protection/ face
	Response:		
	P305 + P351	+ P338 + P310 IF IN EYES: Ri with water for several minute tact lenses, if present and ea tinue rinsing. Immediately cal CENTER/ doctor.	s. Remove con- sy to do. Con-
	Disposal:		
	P501	Dispose of contents/containe with local regulation.	r in accordance

Hazardous components which must be listed on the label:

calcium dihydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 25 - < 40
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	

SikaWall[®]-160 Štuk



Revision Date: 16.11.2023 Date of last issue: -

Version 1.0

Substances with a workplace exp	oosure limit :	
Limestone	1317-65-3	>= 60 - < 80
Contains:	215-279-6	
Quartz (SiO2) <5µm >= 0,1 %		
For evelopetion of obbreviations	and addition 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled :	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and	effects, both acute and delayed		
Symptoms :	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks :	irritant effects		
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.		



Revision Date: 16.11.2023	
Date of last issue: -	

Version 1.0

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

	ve equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sec	tion 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see
		section 8).



Revision Date: 16.11.2023 Date of last issue: -		Version 1.0	Print Date 16.
		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlin products	
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhau at places where dust is formed.	ist ventilation
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet p use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Limestone	1317-65-3	TWA (Total dust)	10 mg/m3	CZ OEL	
	Further inform	ation: Dust with pre	dominantly no spe	ecific effect	
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU	
	Further inform	Further information: Indicative			
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU	
		TWA (fume, res- pirable aerosol fraction)	1 mg/m3	CZ OEL	
		STEL (fume, respirable aerosol fraction)	4 mg/m3	CZ OEL	



Revision Date: 16.11.2023 Date of last issue: -

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves.				
	Contaminated gloves should be removed.				
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.				
Environmental exposure controls					
General advice :	Try to prevent the material from entering drains or water				

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance	:	powder
Colour	:	white

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaWall®-160 Štuk

Print Date 16.11.2023

Revision Date: 16.11.2023 Date of last issue: - Version 1.0

Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	-	
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Bulk density	:	ca. 1.000 kg/m3 (20 °C)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaWall[®]-160 Štuk



Revision Date: 16.11.2023 Date of last issue: -		Version 1.0	Print Date 16.11.20
Relative vapour density	: No data	available	
Particle characteristics	: No data	available	
9.2 Other information			
No data available			
SECTION 10: Stability and I	eactivity		
10.1 Reactivity			
No dangerous reaction kno	wn under conditie	ons of normal use.	
10.2 Chemical stability			
The product is chemically s	table.		
10.3 Possibility of hazardous	eactions		
Hazardous reactions		rds to be specially mentioned	d.
10.4 Conditions to avoid			
Conditions to avoid	: No data	available	
10.5 Incompatible materials			
Materials to avoid	: No data	available	
10.6 Hazardous decompositio	n products		
No decomposition if stored	and applied as d	irected.	
SECTION 11: Toxicological	information		
11.1 Information on hazard cla	sses as defined	I in Regulation (EC) No 127	72/2008
Acute toxicity			
Not classified based on ava	ilable information	۱.	
Skin corrosion/irritation			
Causes skin irritation.			
Serious eye damage/eye i	rritation		

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SikaWall[®]-160 Štuk

Revision Date: 16.11.2023 Date of last issue: - Version 1.0



Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

2

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Print Date 16.11.2023

Revision Date: 16.11.2023 Date of last issue: - Version 1.0

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain component ered to have endocrine disrupting properties accorn REACH Article 57(f) or Commission Delegated reg (EU) 2017/2100 or Commission Regulation (EU) 2 levels of 0.1% or higher. 	ding to ulation
12.7 Other adverse effects		

Product:

<u> </u>		
Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good

Jika ®
Print Date 16.11.2023

Revision Date: 16.11.2023 Date of last issue: -

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contain - registered by our upsi - registered by us, and/ - excluded from the reg - exempted from the re		im suppliers, and/or tion, and/or
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	igerous substances,	:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaWall[®]-160 Štuk



Revision Date: 16.11.2023 Date of last issue: -

Version 1.0

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
----------------------------	---	--

Other regulations:

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation of the European Parliament and Council Regulation (EC) No 286/2011 amending. for the purposes of its adaptation to technical progress, Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Act No. 350/2011 Sb. on chemical substances and chemical mixtures, as amended

Act No. 258/2000 Sb. the protection of public health, as amended

Act No. 262/2006 Sb. The Labour Code, as amended

Law No. 201/2012 Sb. On air protection, as amended

Act No. 254/2001 Sb. Water, as amended

Government Regulation No. 361/2007 Sb. Laying down the conditions of health of workers at work, as amended

Act No. 541/2020 on waste

SikaWall®-160 Štuk

Revision Date: 16.11.2023 Date of last issue: - Version 1.0



15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values			
CZ OEL	:	Czech Republic. Chemical agents at work - Appendix 2: Oc- cupational exposure limits			
2017/164/EU / STEL	:	Short term exposure limit			
2017/164/EU / TWA	:	Limit Value - eight hours			
CZ OEL / TWA	:	Time weighted average			
CZ OEL / STEL	:	Maximum permissible concentration			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	÷	International Air Transport Association			
	÷	International Maritime Code for Dangerous Goods			
LD50	·	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			

Print Date 16.11.2023

Revision Date: 16.11.2023 Date of last issue: - Version 1.0

Further information

Workers ensuring the protection of human health and the environment and workers using hazardous substances or mixtures must complete the training prescribed and required by national health and safety and environmental legislation.

Classification of the mix	cture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CZ / EN