Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika® WT-200 P

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika CZ s.r.o.
		Bystrcká 1132 / 36
		62400 Brno-Komin
Telephone	:	+420 5 464 224 64
E-mail address of person	:	EHS@cz.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Toxikologické informační středisko: +420 224 91 92 93

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0



Precautionary statements	: <b>Prevention:</b> P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P304 + P340 +	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
	Storage:	
	P403 + P233	Store in a well-ventilated place. Keep con- tainer tightly closed.

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### Additional Labelling

EUH208 Contains triisobutyl phosphate. May produce an allergic reaction.

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Sika® WT-200 P

Revision Date: 12.08.2022 Date of last issue: 30.05.2022



### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

EC-No. Registration numberEC-No. Registration number(% w/w)Cement (chromium reduced) $65997-15-1$ $266-043-4$ Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)>= 25 - < 40calcium dihydroxide1305-62-0 $215-137-3$ $01-2119475151-45-$ XXXSkin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)>= 5 - < 10sodium carbonate497-19-8 $207-838-8$ $01-2119485498-19-$ XXXXEye Irrit. 2; H319 Eye Irrit. 2; H319>= 2,5 - < 52,2'-(methylimino)diethanol105-59-9 $203-312-7$ $01-2119488970-24-$ XXXXEye Irrit. 2; H319 Eye Irrit. 2; H319>= 2,5 - < 5triisobutyl phosphate126-71-6 $204-798-3$ $01-2119957118-32-$ XXXSkin Sens. 1B; H317 AXX< 1	Chemical name	CAS-No.	Classification	Concentration
Registration number         Kegistration number         Kegistration number         Kegistration number         Kegistration number         Skin Irrit. 2; H315         >= 25 - < 40           Cement (chromium reduced)         65997-15-1 266-043-4         Skin Irrit. 2; H315         >= 25 - < 40				
$\begin{array}{c c} \mbox{Cement (chromium reduced)} & 65997-15-1 \\ 266-043-4 & Skin Irrit. 2; H315 \\ Stor SE 3; H335 \\ (Respiratory system) & \\ \mbox{Calcium dihydroxide} & 1305-62-0 \\ 215-137-3 & Skin Irrit. 2; H315 \\ 215-137-3 & Stor SE 3; H335 \\ 01-2119475151-45- \\ XXXX & (Respiratory system) & \\ \mbox{Sodium carbonate} & 497-19-8 \\ 207-838-8 & 01-2119485498-19- \\ XXXX & \\ \mbox{Calcium dihydroxide} & 105-59-9 \\ 203-312-7 & 01-2119488970-24- \\ XXXX & \\ \mbox{Triisobutyl phosphate} & 126-71-6 \\ 204-798-3 & 01-2119957118-32- \\ XXXX & \\ \mbox{Solium Sens. 1B; H317} & <1 \\ \end{array}$				(//////////////////////////////////////
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Cement (chromium reduced)	, , , , , , , , , , , , , , , , , , ,	Skin Irrit 2: H315	>= 25 - < 40
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$				0
$\begin{array}{ c c c c c c c } \hline & & & & & & & & & & & & & & & & & & $		200 0 10 1		
calcium dihydroxide1305-62-0 215-137-3 01-2119475151-45- XXXXSkin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)>= 5 - < 10sodium carbonate497-19-8 207-838-8 01-2119485498-19- XXXXEye Irrit. 2; H319 $= 2,5 - < 5$ >= 2,5 - < 5				
$\begin{array}{c} 215-137-3\\01-2119475151-45-\\XXXX\\ \end{array} \qquad \begin{array}{c} Eye \ Dam. \ 1; \ H318\\STOT \ SE \ 3; \ H335\\(Respiratory \ system)\end{array} \qquad \qquad$	calcium dihydroxide	1305-62-0		>= 5 - < 10
01-2119475151-45- XXXXSTOT SE 3; H335 (Respiratory system)sodium carbonate497-19-8 207-838-8 01-2119485498-19- XXXXEye Irrit. 2; H319 $>= 2,5 - < 5$ 2,2'-(methylimino)diethanol105-59-9 203-312-7 01-2119488970-24- XXXXEye Irrit. 2; H319 $>= 2,5 - < 5$ triisobutyl phosphate126-71-6 204-798-3 01-2119957118-32- XXXXSkin Sens. 1B; H317 $< 1$				
XXX         (Respiratory system)           sodium carbonate         497-19-8 207-838-8 01-2119485498-19- XXXX         Eye Irrit. 2; H319         >= 2,5 - < 5				
sodium carbonate497-19-8 207-838-8 01-2119485498-19- XXXXEye Irrit. 2; H319>= 2,5 - < 52,2'-(methylimino)diethanol105-59-9 203-312-7 01-2119488970-24- XXXXEye Irrit. 2; H319>= 2,5 - < 5				
207-838-8 01-2119485498-19- XXXX       01-2119485498-19- XXXX	sodium carbonate			>= 2.5 - < 5
01-2119485498-19- XXXX         Eve Irrit. 2; H319         >= 2,5 - < 5           2,2'-(methylimino)diethanol         105-59-9 203-312-7 01-2119488970-24- XXXX         Eye Irrit. 2; H319         >= 2,5 - < 5		207-838-8	,,	,
XXXX         Eve Irrit. 2; H319         >= 2,5 - < 5           2,2'-(methylimino)diethanol         105-59-9 203-312-7 01-2119488970-24- XXXX         Eye Irrit. 2; H319         >= 2,5 - < 5				
203-312-7       01-2119488970-24-         triisobutyl phosphate       126-71-6         204-798-3       01-2119957118-32-         01-2119957118-32-       XXXX				
203-312-7       01-2119488970-24-         triisobutyl phosphate       126-71-6         204-798-3       01-2119957118-32-         01-2119957118-32-       XXXX	2,2'-(methylimino)diethanol	105-59-9	Eye Irrit. 2; H319	>= 2,5 - < 5
XXXX         XXXX           triisobutyl phosphate         126-71-6         Skin Sens. 1B; H317         < 1		203-312-7		
triisobutyl phosphate 126-71-6 204-798-3 01-2119957118-32- XXXX Skin Sens. 1B; H317 < 1		01-2119488970-24-		
204-798-3 01-2119957118-32- XXXX		XXXX		
01-2119957118-32- XXXX	triisobutyl phosphate	126-71-6	Skin Sens. 1B; H317	< 1
XXXX		204-798-3		
		01-2119957118-32-		
		XXXX		
Substances with a workplace exposure limit :	Substances with a workplace expo	sure limit :		
Limestone 1317-65-3 >= 25 - < 40	Limestone	1317-65-3		>= 25 - < 40
Contains: 215-279-6	Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %	Quartz (SiO2) <5µm >= 0,1 %			
silicon dioxide 7631-86-9 >= 1 - < 2,5	silicon dioxide			>= 1 - < 2,5
231-545-4				
01-2119379499-16-		01-2119379499-16-		
XXXX		XXXX		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup> WT-200 P



Revision Date: 12.08.2022 Date of last issue: 30.05.2022	Version 7.0	Print Date 06.12.
	If symptoms persist, call a physician.	
In case of eye contact :	Small amounts splashed into eyes can sue damage and blindness. In the case of contact with eyes, rinse in of water and seek medical advice. Continue rinsing eyes during transport to Remove contact lenses. Keep eye wide open while rinsing.	mmediately with plenty
If swallowed :	Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an unc	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks :	irritant effects	
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate me	dical attention and special treatment n	eeded
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measured	es	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/w ide/sand/foam/alcohol resistant foam/ch extinction.	
5.2 Special hazards arising from the	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are	e known
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained	breathing apparatus.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup> WT-200 P



Revision Date: 12.08.2022 Date of last issue: 30.05.2022	Version 7.0	Print Date 06.12.20
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental release	e measures	
6.1 Personal precautions, protect	tive equipment and emergency procedure	S
Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	<ul> <li>Try to prevent the material from entering courses.</li> <li>No special environmental precautions red</li> </ul>	
6.3 Methods and material for con	tainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without cre Keep in suitable, closed containers for dis	
6.4 Reference to other sections		

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep in a well-ventilated place.
areas and containers		Observe label precautions. Store in accordance with local
		regulations.



Revision Date: 12.08.2022 Date of last issue: 30.05.2022		Version 7.0	Print Date 06.12.2022
Further information on stor- age stability		n a dry place. omposition if stored and applied a	s directed.
7.3 Specific end use(s)			
Specific use(s)	Consult use.	t most current local Product Data	Sheet prior to any

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *		
·		of exposure)	ters *			
Limestone	1317-65-3	TWA (Total dust)	10 mg/m3	CZ OEL		
	Further inforr	mation: Dust with pre	dominantly no spe	ecific effect		
calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU		
		fraction)	-			
	Further inform	nation: Indicative				
		STEL (Respirable 4 mg/m3 2017/1				
		fraction)	-			
		TWA (fume, res-	1 mg/m3	CZ OEL		
		pirable aerosol				
		fraction)				
		STEL (fume,	4 mg/m3	CZ OEL		
		respirable aerosol				
		fraction)				
sodium carbonate	497-19-8	TWA (inhalable	5 mg/m3	CZ OEL		
		aerosol fraction)				
		s (eyes, respir-				
	atory system	atory system) respectively skin				
		STEL (inhalable	10 mg/m3	CZ OEL		
		aerosol fraction)				
silicon dioxide	7631-86-9	TWA (fibre, total	10 mg/m3	CZ OEL		
		concentration)	(Silica)			
		TWA (fibre, res-	2 mg/m3	CZ OEL		
		pirable fraction)				
		TWA (Respirable	0,1 mg/m3	2004/37/EC		
		dust)				
	Further inform	mation: Carcinogens	or mutagens			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye protection

: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Revision Date: 12.08.2022 Date of last issue: 30.05.2022	Version 7.0	Print Date 06.12.
Hand protection	<ul> <li>Chemical-resistant, impervious gloves proved standard must be worn at all ti chemical products. Reference number facturer specifications.</li> <li>Recommended: Butyl rubber/nitrile rul Contaminated gloves should be removed</li> </ul>	mes when handling r EN 374. Follow manu- bber gloves.
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety shoes long-sleeved working clothing, long tro and protective boots are additionally re and stirring work.	ousers). Rubber aprons
Respiratory protection	<ul> <li>In case of inadequate ventilation wear Respirator selection must be based or exposure levels, the hazards of the pr ing limits of the selected respirator. particulate filter P</li> <li>P1: Inert material; P2, P3: hazardous Ensure adequate ventilation. This can exhaust extraction or by general ventil ods for determining inhalation exposu ticular to the mixing / stirring area. In or to keep the concentrations under the or limits then respiration protection measures</li> </ul>	n known or anticipated oduct and the safe work- substances be achieved by local lation. (EN 689 - Meth- re). This applies in par- case this is not sufficent occupational exposure
Environmental exposure of	controls	
General advice	<ul> <li>Try to prevent the material from enteri courses.</li> <li>No special environmental precautions</li> </ul>	-

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	solid powder grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Print Date 06.12.2022

Revision Date: 12.08.2022	
Date of last issue: 30.05.2022	

Version 7.0

Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit	:	No data available			
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	> 11 Concentration: 50 %			
Viscosity Viscosity, kinematic	:	Not applicable			
<b>Solubility(ies)</b> Water solubility	:	insoluble			
Partition coefficient: n- octanol/water	:	No data available			
Vapour pressure	:	Not applicable			
Density	:	No data available			
Bulk density	:	ca. 745 kg/m3			
Relative vapour density	:	No data available			
Particle characteristics	:	No data available			

## 9.2 Other information

No data available

<b>Jika</b> ®
Print Date 06.12.2022

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### silicon dioxide:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: Expert judgement
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg Method: Expert judgement

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0



### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### **STOT - repeated exposure**

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### triisobutyl phosphate:

Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 34,1 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0



#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

	Product:		
	Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7	7 Other adverse effects		
	Product:		
	Additional ecological infor- mation	:	There is no data available for this product.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods Product The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. European Waste Catalogue 17 09 04 mixed construction and demolition wastes other 2 than those mentioned in 17 09 01, 17 09 02 and 17 09 03

### **SECTION 14:** Transport information

#### 14.1 UN number

ADR

Not regulated as a dangerous good

<b>Jika</b> ®
Print Date 06.12.2022

Revision Date: 12.08.2022 Date of last issue: 30.05.2022

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

## **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are list (=> 0.1 %).	ted
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable	
Regulation (EC) No 1005/2009 on substances that de-	: Not applicable	

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## Sika<sup>®</sup> WT-200 P

Print Date 06.12.2022

Revision Date: 12.08.2022 Date of last issue: 30.05.2022	Version 7.0	Print Date 06.12.20
plete the ozone layer		
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu- : Not applicab	le
Regulation (EC) No 649/2012 ment and the Council concerr of dangerous chemicals		le
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.	
Seveso III: Directive 2012/18/ jor-accident hazards involving	EU of the European Parliament and of the Co dangerous substances. Not applicable	ouncil on the control of ma-
Volatile organic compounds	: Law on the incentive tax for volatile orga (VOCV) no VOC duties	anic compounds
	Directive 2010/75/EU of 24 November 2 emissions (integrated pollution prevention	

#### Other regulations:

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) Regulation of the European Parliament and Council Regulation (EC) No 286/2011 amending, for the purposes of its adaptation to technical progress, Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) Act No. 350/2011 Sb. on chemical substances and chemical mixtures, as amended Act No. 258/2000 Sb. the protection of public health, as amended Act No. 262/2006 Sb. The Labour Code, as amended Law No. 201/2012 Sb. On air protection, as amended Act No. 254/2001 Sb. Water, as amended Government Regulation No. 361/2007 Sb. Laying down the conditions of health of workers at work, as amended Act No. 541/2020 on waste

Not applicable

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0



### **SECTION 16: Other information**

Full text of H-Statements				
H315	: Causes skin irritation.			
H317	: May cause an allergic skin reaction.			
H318	: Causes serious eye damage.			
H319	: Causes serious eye irritation.			
H335	: May cause respiratory irritation.			
Full text of other abbreviations				
Eye Dam.	: Serious eye damage			
Eye Irrit.	: Eye irritation			
Skin Irrit.	: Skin irritation			
Skin Sens.	: Skin sensitisation			
STOT SE	: Specific target organ toxicity - single exposure			
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers			
	from the risks related to exposure to carcinogens or mutagens			
	at work			
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a			
	fourth list of indicative occupational exposure limit values			
CZ OEL	: Czech Republic. Chemical agents at work - Appendix 2: Oc-			
	cupational exposure limits			
2004/37/EC / TWA	: Long term exposure limit			
2017/164/EU / STEL	: Short term exposure limit			
2017/164/EU / TWA	: Limit Value - eight hours			
CZ OEL / TWA	: Time weighted average			
CZ OEL / STEL	: Maximum permissible concentration			
ADR	: European Agreement concerning the International Carriage of			
	Dangerous Goods by Road			
CAS	: Chemical Abstracts Service			
DNEL	: Derived no-effect level			
EC50	: Half maximal effective concentration			
GHS	: Globally Harmonized System			
ΙΑΤΑ	: International Air Transport Association			
IMDG	: International Maritime Code for Dangerous Goods			
LD50	Median lethal dosis (the amount of a material, given all at			
	once, which causes the death of 50% (one half) of a group of			
	test animals)			
LC50	: Median lethal concentration (concentrations of the chemical in			
	air that kills 50% of the test animals during the observation			
	period)			
MARPOL	: International Convention for the Prevention of Pollution from			
	Ships, 1973 as modified by the Protocol of 1978			
OEL	: Occupational Exposure Limit			
PBT	: Persistent, bioaccumulative and toxic			
PNEC	: Predicted no effect concentration			
REACH	: Regulation (EC) No 1907/2006 of the European Parliament			
	and of the Council of 18 December 2006 concerning the Reg-			
	istration, Evaluation, Authorisation and Restriction of Chemi-			
	cals (REACH), establishing a European Chemicals Agency			
SVHC	: Substances of Very High Concern			
vPvB	: Very persistent and very bioaccumulative			
	·			

# Sika® WT-200 P

Revision Date: 12.08.2022 Date of last issue: 30.05.2022 Version 7.0



Further information				
Classification of the mixture:		Classification procedure:		
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
STOT SE 3	H335	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CZ / EN