

BUILDING TRUST

Sika®Chapdur Extra DECLARATION OF PERFORMANCE No. 55715057

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	55715057
2	INTENDED USE/S	EN 13813:2002 Cementitious screed material
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4
6a	HARMONISED STANDARD:	EN 13813:2002
	Notified body/ies:	No Notified Body required

Declaration of Performance Sika® Chapdur Extra 55715057 2021.09 , ver. 2 1180 7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specificatior
Reaction to fire	Class A1 _{fl}	System 4	EN 13813:2002
Release of dangerous substances	NPD		
Release of corrosive substances	СТ	System 4	
Water permeability	NPD		
Water vapor permeability	NPD		
Compressive strength	C70	System 4	
Flexural strength	F7	System 4	
Wear resistance	A0.5	System 4	
Sound insulation	NPD		
Sound absorption	NPD		
Thermal resistance	NPD		
Chemical resistance	NPD		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Ing. Jaroslav Leischner Position: Quality and EHS Manager

Leischner

Brno, 30.09.2021

Name: Ing. Andrej Šišolák Position: General Manager SIKA CZ, s.r.o.

BUILDING TRUST



End of information as required by Regulation (EU) No 305/2011

RELATED DECLARATION OF PERFORMANCE

Product Name	Harmonised technical specification	DoP Number
Sika [®] Chapdur Extra	EN 13813:2002	02 08 15 01 003 0 000045 1180

Declaration of Performance Sika® Chapdur Extra 55715057 2021.09 , ver. 2 1180 Template for translation. Only for internal use



	CE
	14
Sika	a Services AG, Zurich, Switzerland
	DoP No. 55715057
	EN 13813:2002
	No Notified Body required
	Cementitious screed material
Reaction to fire	Class A1 _{fl}
Release of corrosive substances	СТ
Compressive strength	C70
Flexural strength	F7
Wear resistance	A0.5

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance Sika® Chapdur Extra 55715057 2021.09 , ver. 2 1180 Template for translation. Only for internal use

