

Sikafloor®-20 Unibeton

DECLARATION OF PERFORMANCE

No. 24716765

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	24716765	
2	INTENDED USE/S	Concrete protection and repair product – for uses with low performance requirements for application in buildings and civil engineering works and for uses subject to reaction to fire regulations	
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich	
5	SYSTEM/S OF AVCP:	System 4: For uses with low performance requirements in buildings and civil engineering works System 4: For uses subject to reaction to fire regulations	
6a	HARMONISED STANDARD:	1504-3:2005	
	Notified body/ies:	Not required	

24/16/65 2025.02 , ver. 1 1708

7 **DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class A1	System 4	
Compressive strength	≥ 15 MPa, Class R2	System 4	
Chloride ion content	≤ 0.05 %	System 4	
Adhesive bond	≥ 0.8 MPa	System 4	
Restrained shrinkage/expansion	NPD	System 4	
Carbonation resistance	NPD	System 4	 1504-3:2005
Elastic modulus	NPD	System 4	1304-3.2003
Thermal compatibility, Part 1: Freeze-thaw	≥ 0.8 MPa	System 4	
Skid resistance	NPD	System 4	
Coefficient of thermal expansion	NPD	System 4	
Dangerous substances	Pass	System 4	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Ing. Jaroslav Leischner Function: Product documentation

specialist

At Brno on 18 February 2025

Name: Ing. Martin Polák

Function: General Manager Sika CZ, s.r.o. At Brno on 18 February 2025

End of information as required by Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Text with EEA relevance



E
25

Sika Services AG, Tuffenwies 16-22, Zurich, Switzerland				
24716765				
Reaction to fire	Class A1			
Compressive strength	≥ 15 MPa, class R2			
Chloride ion content	≤ 0.05 %			
Adhesive bond	≥ 0.8 MPa			
Thermal compatibility, freeze thaw	≥ 0.8 MPa			

EN 1504-3:2005

Concrete protection and repair product - for uses with low performance requirements for application in buildings and civil engineering works

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safetyrelated data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Sika Services AG Tüffenwies 16 8064 Zürich Switzerland www.sika.com

MBCC Sika CZ s.r.o. K Májovu 1244 537 01 Chrudim

Sika CZ. s.r.o. Bystrcká 1132/36 624 00 Brno Česká republika www.sika.cz

