Version 5.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaScreed®-100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika CZ s.r.o. Bystrcká 1132 / 36
		62400 Brno-Komin
Telephone	:	+420 5 464 224 64
E-mail address of person responsible for the SDS	:	EHS@cz.sika.com

1.4 Emergency telephone number

Toxikologické informační středisko: +420 224 91 92 93

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

:

Hazard pictograms

Danger

Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Revision Date: 29.01.2021 Date of last issue: 13.06.2020



Version 5.1

Prevention:

P264Wash skin thoroughly after handling.P280Wear protective gloves/ eye protection/ face
protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 10 - < 20
Substances with a workplace exposure limit :			
Quartz (SiO2)	14808-60-7 238-878-4		>= 60 - < 80

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaScreed®-100



Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1

Limestone	1317-65-3	>= 5 - < 10
Contains:	215-279-6	
Quartz (SiO2) <5µm >= 0,1 %	6	

SECTION 4: First aid measures

4.1 Description of first aid measu	ires	S
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate r Treatment	nec :	dical attention and special treatment needed Treat symptomatically.

Print Date 27.04.2023

Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from the	e substance or mixture
	Hazardous combustion prod- : ucts	No hazardous combustion products are known
5.3	Advice for firefighters	
	Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
	Further information :	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.



Revision Date: 29.01.2021	
Date of last issue: 13.06.2020	

		Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	nc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TWA (fibre, res- pirable fraction)	0,1 mg/m3	CZ OEL	
	Further information: $Fr = fibre$ content in the respirable fraction, $Fr = 100\%$				
Limestone	1317-65-3	TWA (Total dust)	10 mg/m3	CZ OEL	
	Further information: Dust with predominantly no specific effect				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,



Revision Date: 29.01.2021 Date of last issue: 13.06.2020	Version 5.1	Print Date 27.04.202
	long-sleeved working clothing, long trouse and protective boots are additionaly recom and stirring work.	
Respiratory protection	 In case of inadequate ventilation wear respectively. Respirator selection must be based on known exposure levels, the hazards of the producting limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substants Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). ticular to the mixing / stirring area. In case to keep the concentrations under the occur limits then respiration protection measures 	own or anticipated ct and the safe work- stances achieved by local n. (EN 689 - Meth- This applies in par- this is not sufficent upational exposure
Environmental exposure co	ntrols	
General advice	 Try to prevent the material from entering d courses. No special environmental precautions require 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		:	solid
Appearance		:	powder
Colour		:	grey
Odour		:	odourless
Odour Threshold		:	No data available
рН		:	> 11 Concentration: 50 %
Melting point/rang point	ge / Freezing	:	No data available
Boiling point/boili	ng range	:	No data available
Flash point		:	Not applicable
Evaporation rate		:	No data available
Flammability (soli	id, gas)	:	No data available
	lineit / Line er		

Upper explosion limit / Upper : No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaScreed®-100

Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1



flammability limit

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Bulk density	:	ca. 1,200 kg/m3
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1



10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

:

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

Revision Date: 29.01.2021 Date of last issue: 13.06.2020



Version 5.1

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Sika ®
Print Date 27.04.2023

Revision Date: 29.01.2021				
Date of last issue: 13.06.2020				

	wa Di at pro Ioo	spose of surplus and non-recyclable products via a licensed aste disposal contractor. sposal of this product, solutions and any by-products should all times comply with the requirements of environmental otection and waste disposal legislation and any regional cal authority requirements. roid dispersal of spilled material and runoff and contact with il, waterways, drains and sewers.
Contaminated packaging		01 10* packaging containing residues of or contaminated dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Cement (chromium reduced) (Number on list 47)
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).



Revision Date: 29.01.2021 Date of last issue: 13.06.2020	Version 8	5.1		Print Date 27.04.2
REACH - List of substances subj (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)			
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable	
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	am suppliers, and/or ation, and/or	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nen	t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV)	ax fo	or volatile organic com	pounds

no VOC duties

Other regulations:

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) Regulation of the European Parliament and Council Regulation (EC) No 286/2011 amending, for the purposes of its adaptation to technical progress, Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) Act No. 350/2011 Sb. on chemical substances and chemical mixtures, as amended Act No. 258/2000 Sb. the protection of public health, as amended Act No. 262/2006 Sb. The Labour Code, as amended Law No. 201/2012 Sb. On air protection, as amended Act No. 254/2001 Sb. Water, as amended Government Regulation No. 361/2007 Sb. Laying down the conditions of health of workers at work, as amended Act No. 185/2001 Sb. On waste, as amended

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1



SECTION 16: Other information

Full text of H-Statements						
H315	:	Causes skin irritation.				
H318	:	Causes serious eye damage.				
H335	:	May cause respiratory irritation.				
Full text of other abbreviations						
Eye Dam.	:	Serious eye damage				
Skin Irrit.	:	Skin irritation				
STOT SE	:	Specific target organ toxicity - single exposure				
CZ OEL	:	Czech Republic. Chemical agents at work - Appendix 2: Oc- cupational exposure limits				
CZ OEL / TWA	:	Time weighted average				
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
IATA	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				
PBT	:	Persistent, bioaccumulative and toxic				
PNEC	:	Predicted no effect concentration				
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	:	Substances of Very High Concern				
vPvB	:	Very persistent and very bioaccumulative				
Further information						
Classification of the mixtur	e:	Classification procedure:				
Skin Irrit. 2	H3	15 Calculation method				
Eye Dam. 1	H3	18 Calculation method				

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaScreed®-100

Revision Date: 29.01.2021 Date of last issue: 13.06.2020 Version 5.1



Changes as compared to previous version !

CZ / EN