

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaForce[®]-803 L45 (A) Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika CZ s.r.o.
		Bystrcká 1132 / 36
		62400 Brno-Komin
Telephone	:	+420 5 464 224 64
E-mail address of person	:	EHS@cz.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Toxikologické informační středisko: +420 224 91 92 93

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		

Long-term (chronic) aquatic hazard, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		*
Signal word	:	Warning	
Hazard statements	:	H317 H411	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261	Avoid breathing mist or vapours.

SikaForce[®]-803 L45 (A) Part A



Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0

P273 P280	Avoid release to the environment. Wear protective gloves.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Hazardous components which must be listed on the label:

ethylene bis(3-mercaptopropionate)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		, ,
ethylene bis(3-	22504-50-3	Acute Tox. 4; H302	>= 2,5 - < 5
mercaptopropionate)	245-044-3	Acute Tox. 4; H312	
	01-2120775145-52-	Eye Irrit. 2; H319	
	XXXX	Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		1.000 mg/kg	

For explanation of abbreviations see section 16.

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0



SECTION 4: First aid measures

4.1 Description of first aid measures	6				
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.				
If inhaled :	Move to fresh air. Consult a physician after significant exposure.				
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.				
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.				
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.				
4.2 Most important symptoms and e	4.2 Most important symptoms and effects, both acute and delayed				
Symptoms :	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.				
Risks :	sensitising effects				
	May cause an allergic skin reaction.				
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment :	Treat symptomatically.				
SECTION 5: Firefighting measures					
5.1 Extinguishing media					
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.				
5.2 Special hazards arising from the substance or mixture					
Specific hazards during fire- :	Do not allow run-off from fire fighting to enter drains or water				

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0



5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protecti Personal precautions	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	ainment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections


For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

Advice on protection against	:	Normal measures	for preventive fire protection	•
------------------------------	---	-----------------	--------------------------------	---



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

use.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.





Revision Date: 06.12.2023		Version 2.0	Print Date 08.12.202
Date of last issue: 30.08.2023			
Respiratory protection	: N	lo special measures required.	
Environmental exposure co	ntrols	5	
General advice	lt	Do not flush into surface water or san the product contaminates rivers and espective authorities.	
SECTION 9: Physical and che	emica	I properties	
9.1 Information on basic physica	al and	chemical properties	
Physical state Appearance Colour	:	liquid paste black	
Odour	:	musty	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	explo	osive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point		> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН		Not applicable substance/mixture is non-soluble (in	water)
Viscosity			
Viscosity, dynamic	:	ca. 300.000 mPa.s (20 °C)	

SikaForce[®]-803 L45 (A) Part A



Revision Date: 06.12.2023 Date of last issue: 30.08.2023	Version 2.0	Print Date 08.12.202
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,24 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid :	No data available
-----------------------	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SikaForce[®]-803 L45 (A) Part A

Print Date 08.12.2023

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

ethylene bis(3-mercaptopropionate):

Acute oral toxicity : LD50 Oral (Rat): >= 1.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaForce[®]-803 L45 (A) Part A

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0



SECTION 12: Ecological information

12.1 Toxicity

Components:

ethylene bis(3-mercaptopropionate):

Toxicity to fish (Chronic toxicity) : LC50: 4,85 mg/l Exposure time: 48 h Species: Fish

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

:

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaForce[®]-803 L45 (A) Part A

Revision Date: 06.12.2023

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0



wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ethylene bis(3-mercaptopropionate))	
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ethylene bis(3-mercaptopropionate))	
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (ethylene bis(3-mercaptopropionate))	
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR		9	
	•		
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group		Ш	
Classification Code	÷	M6	
Hazard Identification Number	:		
Labels	:	9	
Tunnel restriction code	:	(-) 	
Remarks	:	Transport in accordance with special provision 375	

Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0



IMDG

Packing group	: 111
Labels	: 9
EmS Code	: F-A, S-F
Remarks	: Transport in accordance with 2.10.2.7 of the IMDG-Code

IATA (Cargo)

:	964
:	Y964
:	III
:	Miscellaneous
:	Transport in accordance with special regulation A 197
	:

IATA (Passenger)

Packing instruction (passen-	:	964
ger aircraft)		
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADR Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable			

REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or

SikaForce[®]-803 L45 (A) Part A



Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0

excluded from the regulation, and/orexempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da E2			and of the Council on the control of ma
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)

Other regulations:

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation of the European Parliament and Council Regulation (EC) No 286/2011 amending,

SikaForce[®]-803 L45 (A) Part A



Revision Date: 06.12.2023 Date of last issue: 30.08.2023 Version 2.0

for the purposes of its adaptation to technical progress, Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Act No. 350/2011 Sb. on chemical substances and chemical mixtures, as amended

Act No. 258/2000 Sb. the protection of public health, as amended

Act No. 262/2006 Sb. The Labour Code, as amended

Law No. 201/2012 Sb. On air protection, as amended

Act No. 254/2001 Sb. Water, as amended

Government Regulation No. 361/2007 Sb. Laying down the conditions of health of workers at work, as amended

Act No. 541/2020 on waste

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 H312 H317 H319 H400 H410	· · ·	Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Acute	:	Acute toxicity Short-term (acute) aquatic hazard		
Aquatic Chronic	÷	Long-term (chronic) aquatic hazard		
Eye Irrit.	:	Eye irritation		
Skin Sens.	:	Skin sensitisation		
ADR	:	European Agreement concerning the International Carriage of		
0.1.0		Dangerous Goods by Road		
CAS	÷	Chemical Abstracts Service		
DNEL EC50	÷	Derived no-effect level Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	÷	International Air Transport Association		
IMDG	÷	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		



Revision Date: 06.12.2023 Date of last issue: 30.08.2023

	air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Workers ensuring the protection of human health and the environment and workers using hazardous substances or mixtures must complete the training prescribed and required by national health and safety and environmental legislation.

Classification of the mixture:		Classification procedure:	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

CZ / EN