

SikaTop®-531 Seal

DECLARATION OF PERFORMANCE

No. 36829374

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	36829374
2	INTENDED USE/S	Rigid cementitious wateproofing and protective coating; Methods 2.2/8.2
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	1504-2:2004
-	Notified body/ies:	1020, 1391

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification	
Reaction to fire	A1	System 4	_	
Linear shrinkage	NPD	System 2+		
Coefficient of thermal expansion	NPD	System 2+		
Crosscut	NPD	System 2+	_	
Water vapour permeability	Class I	System 2+	_	
Capillary absorption and permeability to water	$w < 0.1 \text{ kg/(m}^2 \cdot h^{0.5})$	System 2+		
Thermal compatibility	NPD	System 2+		
Crack bridging ability	NPD	System 2+		
Adhesion strength by pull off test	≥ 1.0 N/mm2	System 2+		
Skid resistance	NPD	System 2+		
Artificial weathering	NPD	System 2+		
Antistatic behaviour	NPD	System 2+		
Adhesion on wet concrete	NPD	System 2+		
Dangerous substances	Comply with 5.3 EN 1504-2	System 2+	<u> </u>	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Ing. Jaroslav Leischner Function: Product documentation

specialist

At Brno on 26 January 2025

Name: Ing. Martin Polák

Function: General Manager Sika CZ, s.r.o.

At Brno on 26 January 2025

End of information as required by Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Text with EEA relevance





25

C:1 C:	^ 7		C
Sika Services	$\Delta (- /)$	irich	SWITZONIANA.

36829374

Reaction to fire	A1	
Water vapour permeability	Class I	
Capillary absorption and permeability to water	$w < 0.1 \text{ kg/(m}^2 \cdot h^{0,5})$	
Adhesion strength by pull off test	≥ 1.0 N/mm ²	

1504-2:2004

1020, 1391

Concrete protection and repair products for uses in buildings and civil engineering works, Rigid cementitious waterproofing and protective coating; Methods 2.2/8.2

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Sika Services AG Tüffenwies 16 8064 Zürich Switzerland www.sika.com **Sika MBCC CZ s.r.o.** K Májovu 1244 537 01 Chrudim Sika CZ, s.r.o. Bystrcká 1132/36 624 00 Brno Česká republika www.sika.cz

